E-Series EN81-20 Compliant Elevator Light Curtains



Product Datasheet



KEY FEATURES

premium safety.

- EN81-20 compliant
- Designed for new & existing installations
- Suitable for dynamic or static installations.
- Reduced installation time:
 - No setting up required
 - No communication wire
 - · No configuration needed
- Extended range of input voltages 11-42VDC to suit all applications
- Robust Electronics
- Timeout Software
- Diagnostic LEDs
- Diagnostic output

which is compliant with EN81-20 standards. The 20-diode system is a cost-effective solution to be EN81-20 compliant for certain installations. (See last page for details)

The specially developed filters, unique to MEMCO, incorporate bespoke lens designs that are used with the surface mount transmit and receive diodes. Improved circuit protection has been added which guards against common wiring errors during installation. Communication between the TX and RX diodes is now delivered optically, there is no communication wire required.

The RX has a diagnostic LED that is visible through the lens and provides an indication of a trigger or a possible system fault. In case of failure of the light curtain, the diagnostic output on the RX will inform the lift controller so that the kinetc energy of the closing doors can be limited to the required level.

The system has been designed to be tolerant to the infra-red content equivalent to 100k lux. This results in very high levels of light immunity and outstanding reliability. The Detectors are housed in a 10mm profile.



Detector Profiles




Fig 1: E10 Fixing Clamp & Self-Tapping Screw for side and centre-opening

| | 36 Diodes |
|--|------------|
| Bottom diode from sill mounted 5mm above sill | E10 25mm |
| Top diode from sill mounted 5mm above sill | E10 1633mm |
| Detector height from sill mounted 5mm above sill | E10 2005mm |





Fig 5: Diode beam pattern for 20 and 36-diode detectors



Fig 6: E10 Fixture Holes








Technical Specification

| 10mm Profile | E10 36 | |
|---------------------------------------|--|--|
| External Dimensions | 10mm x 33.5mm x 2005mm (E10) 32mm x 16mm x 2105mm (E32) 40mm x 19mm x 2105mm (E40) | |
| No. of Diodes | 36 | |
| Total No. of Beams at a separation of | 174 Beams >500mm 106 Beams<500mm &>200mm 36 Beams <200mm | |
| Top Diode position from sill* | 1633mm | |
| Bottom Diode position from sill* | 25mm | |
| IP Rating | IP65 (E10), IP54 (E32), IP54 (E40) | |
| Maximum Range | 3m | |
| Max. Response Time | 100ms | |
| Light Immunity | >100,000 lux | |
| Input Voltage | +11VDC - +42VDC Continuous 44VDC [Max] Peak | |
| Trigger Output | Maximum Switching Voltage=45VDC/30VAC Maximum Switching Current=350 mA Maximum on State Resistance=2 Ohms NPN,PNP,NC,NO user configurable | |
| Diagnostic Output (optional) | Maximum Switching Voltage=45VDC/30VAC Maximum Switching Current=350 mA Maximum on State Resistance=2 Ohms NPN,PNP user configurable; NC only | |
| Current Average | <100mA | |
| Peak Current | <100mA | |
| Operating Temp. Range | -10°C - 60°C as per BS2011 Part2.1 Ab & Part2.2 Bb | |
| Storage Temperature | -25°C to 60°C | |
| EMC Emissions | EN12015:2014 Immunity 12016:2013 | |
| Random Vibration | 20-500Hz 0.002g2/Hz, 4 hours per axis | |
| Sinusoidal Vibration | 30Hz 3.6g RMS 30mins per axis | |
| Humidity | 93% BS60068-2-30:2005:Part2.1Db:1981, Variant2 @ 55°C | |
| Cables | TX=2 Cores & RX= 5 Cores (7 Cores with diagnostic output), Length=2.7m | |

^{*} Detectors are mounted 5mm from sill

Ordering Information

Part Number Code



Note: Static kits need to be ordered separately for static installations. 280 000 Power Supply available upon request.

This product is designed for use in elevators with powered automatic doors where the closing energy is less than 10J in normal operation and less than 4J during de-activation of the light curtains or less as per EN81 requirements. It should be installed by qualified personnel only, therefore any use outside of this application is at the installer's own risk and should be assessed appropriately.

As a result of our policy of continual improvement, the information in this document is subject to change without notice and it is intended only as general guidance on product performance and suitability. This information shall not form part of any contract.





^{*}E10 36 is compliant in all installations.