

1.0 General Description

- 1.1 Provide and install new master phone complying with the highest industry standards for quality and manufacturing.
- 1.2 The master phone shall be A17.1 ASME and CSA B44 code compliant.
- 1.3 The master phone shall be ADA compliant.
- 1.4 The master phone shall provide two-way communication between the lobby or fire control and the elevator phones on an EMS5 system.

2.0 Telephone Requirements

- 2.1 The master phone shall be a master station telephone as provided by Janus.
- 2.2 The master phone shall provide a way to answer a call onsite.
- 2.3 The master phone shall provide a way to call back into any of the phones on the EMS5 system.
- 2.4 The master phone shall have a digital display showing the origin of the call.

3.0 Telephone Performance

- 3.1 The master phone shall have the ability to call out on the phone line.
- 3.2 The master phone shall have labeling that describes functionality.
- 3.3 The master phone shall have an onboard keypad.
- 3.4 The master phone shall have a Stainless Steel hook switch.

4.0 Electrical Performance

- 4.1 The master phone shall be powered by a 110vac to 12vdc transformer.
- 4.2 The master phone shall respond to and send DTMF tones.
- 4.3 The master phone shall have a loud ringer for noisy environments.

5.0 Warranty

- 5.1 The phone shall be warranted for a period of two years from the date of purchase.

The model numbers are SHW, SHW-MR, SHW-FL, SHW-MRFL, SHW-HF, SHW-HFFL, SHW-HF-NC, SHW-NC and shall be supplied by Janus.

6.0 Manufacturer

The manufacturer shall be:
Janus Elevator Products
N56 W24720 North Corporate Circle Sussex, WI 53089
800-527-9156
www.januselevator.com